

BOVINE ACCELLYTE II

Hydration product for cattle and calves

For optimal absorption of electrolytes and water retention

RESEARCH-SUPPORTED FEATURES AND BENEFITS

Unique formulation designed for adult animals and young stock to promote electrolyte balance for optimal hydration

- Helps to promote feed and water intake; therefore, helps restore electrolyte functions and water retention to prevent losses due to dehydration

Formulated with proper balance of electrolyte combination

- Useful during periods of stress such as:
 - Heat stress
 - Freshening
 - Feed changes
 - Illness/Sick pen
 - Shipping/Receiving
- Helps to maintain production, and reduce panting and other heat stress related symptoms

Allows for multiple applications

- Can be dry-mixed into total mixed ration (TMR) for group or herd application
- Can be added to stock tanks or individual water feedings, mixes easily with water

Flexibility of use

- For heat stress, can be fed continually throughout the summer months or can be added to diet 2 days prior to any stressful event and continued through the stressful period

DIRECTIONS FOR USE

Mature Cattle Application

Top-dress, mix into TMR or grain, or add to water supply, at the rate of:

- 1-2 ounces of Bovine Accellyte II per head per day with daily feed or water supply during heat stress conditions, fresh pen, sick pen, or anytime dehydration is at risk
- 4 ounces of Bovine Accellyte II per head per day to cattle prior to shipping or to newly received cattle

Show Ring Cattle Application

Top-dress, mix into TMR or grain, or add to water supply, at the rate of:

- 1-2 ounces of Bovine Accellyte II per head per day for 1 week before transport. Continue throughout the show and for 2 days after returning

Young Stock Application

Top-dress, mix into TMR or grain, or add to water supply, at the rate of:

- ¼ to ½ ounce of Bovine Accellyte II per head per day with daily feed or water supply during heat stress conditions or anytime dehydration is at risk

USAGE GUIDE

The chart below illustrates product usage based upon the mature cattle application rate of 1 ounce per head per day.

FEEDING PERIOD	1 DAY	2 WEEKS	1 MONTH
50 Cows/Adult Animals	3.1 lbs.	43.4 lbs.	93 lbs.
75 Cows/Adult Animals	4.7 lbs.	65.6 lbs.	141 lbs.
100 Cows/Adult Animals	6.25 lbs.	87.5 lbs.	187.5 lbs.
200 Cows/Adult Animals	12.5 lbs.	175 lbs.	375 lbs.
400 Cows/Adult Animals	25 lbs.	350 lbs.	750 lbs.



AVAILABLE PACKAGE SIZES

10 lb. pail (not pictured above)
Contains 160 1-ounce feedings

25 lb. bag
Contains 400 1-ounce feedings
Pallet = 80 bags

STORAGE

Store in a cool, dry area with lid secure or bag tightly closed for maximum stability

MANUFACTURED FOR

Select Sires Inc.
Plain City, OH 43064



CentralStar